



Harmonious

MATE RIAL

Collection
Matt
120x180 cm
Made To
Impress.



Exceptional

Peerless

SURPRISING
AND
IRRESISTIBLE
APPEAL
FOR YOUR
SPACE



Matt Surface
/120x180 cm

Finesse

Impressive



Design & Innovation

1200x1800 Cm

AMAZING AND FINER EVERYTHING

EYE-CATCHING

Admirable

Exquisite

Splendor





Matt
Design Architecture

LAVISH SPACES
THAT ARE AN AESTHETIC CHOICE
AND SUBTLE ACCENTS OF
ORIGINAL DESIGNS

We have combined beauty and functionality in order to give you the best of both worlds. Our collection is an ode to luxury that is simple, and exquisite along with being the only decor you won't be able to resist.



SPECTACULAR
INTERIORS






Why Choose Us

Because We Are The Best In design

DYNAMIC DESIGN




Edge Matching

Through Body



Throughout our 11 years in the ceramic industry, we've created designs that are ideal for all kinds of spaces. We want our latest collection to be of the same category yet create a sense of harmony and comfort in the places it is equipped.



DIRECTORY OF MATT



Carbon Beige
/120x180 Cm

INDEX OF CONTENT



Carbon Cemento
/120x180 Cm



Carbon Gris
/120x180 Cm



Carbon Olive
/120x180 Cm



Flake Mud
/120x180 Cm



Flake Fume
/120x180 Cm



Flake Grit
/120x180 Cm

STAMP EDITION



Flake Off White
/120x180 Cm



120x180 cm



DISTINCTIVE
AND
DECISIVE
ELEMENTS

CARBON
BEIGE

Matt Surface



CARBON BEIGE

Stamp Edition




CARBON
BEIGE


A minimal &
contemporary
appeal.



Collection
Matt



120x180 cm



CARBON CEMENTO



120x180 cm

DYNAMIC
AND
CONTEMPORARY

FINISH

Matt Surface



CARBON CEMENTO

Stamp Edition




CARBON
CEMENTO

A minimal &
contemporary
appeal.



Collection
Matt



120x180 cm





120x180 cm

STRONG
AND
REFINED

AESTHETIC

CARBON
GRIS

Matt Surface




CARBON GRIS

Stamp Edition




CARBON
GRIS


A minimal &
contemporary
appeal.



Collection
Matt



120x180 cm





120x180 cm



HARMONY
AND
STYLISTIC
INDULGENCE

CARBON
OLIVE

Matt Surface



CARBON OLIVE

Stamp Edition




CARBON
OLIVE


A minimal &
contemporary
appeal.



Collection
Matt



120x180 cm





120x180 cm



ENHANCED
AND
DECORATIVE

APPEAL

FLACK
MUD

Matt Surface



FLACK MUD

Stamp Edition




FLACK
MUD


A minimal &
contemporary
appeal.



Collection
Matt



120x180 cm





120x180 cm



FLAKE
FUME

MODERN
AND

CONTEMPORARY

INSPIRED

Matt Surface



FLAKE FUME

Stamp Edition




FLAKE
FUME

A minimal &
contemporary
appeal.



Collection
Matt



120x180 cm





120x180 cm

FLAKE
GRIT



VERSATILITY
AND
FUNCTIONALITY
COMBINED

Matt Surface




FLAKE GRIT

Stamp Edition




FLAKE
GRIT


A minimal &
contemporary
appeal.



Collection
Matt



120x180 cm





120x180 cm



LIVELY
AND
DYNAMIC

AUTHENTICITY

FLAKE
OFF WHITE

Matt Surface



FLAKE OFF WHITE

Stamp Edition




FLAKE OFF
WHITE

A minimal &
contemporary
appeal.



Collection
Matt



120x180 cm



TECHNICAL SPECIFICATION

TEST DESCRIPTION	TEST METHOD	ISO STANDARD 13006 B1a TILES	VALUE
Length and width	BS EN ISO 10545-2	± 0.6%	± 0.3%
Thickness	BS EN ISO 10545-2	± 5.0%	± 3.0%
Straightness of sides	BS EN ISO 10545-2	± 0.5%	± 0.3%
Rectangularity	BS EN ISO 10545-2	± 0.6%	± 0.3%
Surface flatness	BS EN ISO 10545-2	± 0.5%	± 0.3%
Water absorption	BS EN ISO 10545-3	≤ 0.5%	≤ 0.05%
Breaking strength	BS EN ISO 10545-4	≥ 1300N	≥ 1500N
Modulus of rupture	BS EN ISO 10545-4	≥ 35 N/mm ²	≥ 45N/mm ²
Resistance to deep abrasion	BS EN ISO 10545-6	≤ 175mm ³	≤ 150mm ³
Linear thermal expansion	BS EN ISO 10545-8	≤ 9 x 10 ⁻⁸ °C ⁻¹	≤ 7 x 10 ⁻⁶ °C ⁻¹
Thermal shock resistance	BS EN ISO 10545-9	No visible defect	No visible defect
Frost resistance	BS EN ISO 10545-12	Frost proof	Frost proof
Resistance to chemicals	BS EN ISO 10545-13	No visible effect	No visible effect
Resistance to stain	BS EN ISO 10545-14	Manufacturer to state class	Stains removed Min. Class 2
Colour resistance	BS EN ISO 10545-16	No damage	No damage
Colour resistance to UV Light	DIN 51094	No change in color	No change in color
Scratch hardness(MOH's Scale)	EN 101	≥ 6 MOHS	≥ 7 MOHS
Surface quality	BS EN ISO 10545-2	Min. 95%	No visible defect
Skid resistance (friction co-efficient)	BS EN ISO 10545-17	> 0.4	>0.4
Moisture Expansion	-	Nil	Nil



PACKING DEATILS

Size	Pcs / Box	Weight (Approx)	Thickness (Approx)	SQ. / Box
1200x1800	2	90 kg	9mm	46.50



Thank You